

Contents

Introduction to Hepworth Terracotta	2-3
Key to abbreviations	2
Acceptance	3
Quick Guide	4-5
Quick Guide – Top Selling Terracotta Items	4-5
Flue Liners	6-7
Class A1 – Flue Liners and Bends	6-7
Chimney Pots	8-9
Chimney Pots	8-9
Ventilation Terminals	10
Ventilation Terminals	10
Fireplace	11-12
Fireplace Throat Units	11-12
Gas Terminals	13
Gas Terminals	13
Ridge Tiles	14-15
Angled Ridge Tiles	14-15
Airbricks	16
Airbricks	16
Numerical Index	17-18
Notes	19
Important Notes	20
Quality Assurance	20
Contact	20

Introduction to

Hepworth Terracotta

Hepworth Terracotta offers a comprehensive range of products for the construction and ventilation of domestic flue and chimney systems including a range of chimney pots, ventilation terminals, gas terminals, ridge tiles and air bricks.

Key to abbreviations

B	Buff
R	Red
X	Blue/Black
CE	CE Mark

Important Notes

Where appropriate, the colour code is shown at the end of the Catalogue Number in the listing of Top Selling Items shown on pages 4 – 5.

Product photos are for example only and not representative of every fitting size.

Acceptance

a) British Standards Institution

Round and Square Flue Liners to BS EN 1457-1:2012 - Classification - A1.

Flue Liner Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Decorative Chimney Pots and Ventilation Terminals to BS 1181: 1989 - Type B.

Concrete Fireplace components to BS 1251:1987.

Gas Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Ridge Tiles to BS 402: Part 1:1990.

Airbricks to BS 493:1995.

b) CE Mark

CE – From the 1st July 2013, the Construction Products Regulation (CPR) will come into force. It will be mandatory for any construction product covered by a harmonised European Norm (hEN) containing a 'ZA' annex to have a Declaration of Performance (DoP) and an accompanying CE mark.

Wavin will affix the CE mark to the actual product, and or product packaging. Individual products covered by a CE mark are also identified in the appropriate trade price list. (August 2013 onwards) The specific DoP and CE mark details can be found and downloaded via the following link:

www.hepworthterracotta.co.uk



Quick Guide – Top Selling Terracotta Items

Airbricks

Sales Rank		Product Cat No	Page
1	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Red	YA13R	16
2	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Red	YA14R	16
3	Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Buff	YA13B	16
4	Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Buff	YA14B	16
5	Airbrick, 215 x 215 x 50mm, Square Hole, Colour: Red	YA15R	16

Cavity Liners

Sales Rank		Product Cat No	Page
1	Cavity Liner, 215 x 65 x 200mm	YB11	16
2	Cavity Liner, 215 x 140 x 200mm	YB13	16
3	Cavity Liner, 215 x 215 x 200mm	YB15	16

Commissioning Pack

Sales Rank		Product Cat No	Page
1	Chimney Notice Plate & Certificate (As required by Building Regulations 2010 ADJ)	YPLATE1	7

Chimney Pots

Sales Rank		Product Cat No	Page
1	Roll Top, 300mm high, Colour: Red	YM17R	8
2	Roll Top, 450mm high, Colour: Red	YM19R	8
3	Cannon Head, 300mm high, Colour: Red	YM11R	8
4	Roll Top, 600mm high, Colour: Red	YM20R	8
5	Cannon Head, 450mm high, Colour: Red	YM13R	8

Firebacks

Sales Rank		Product Cat No	Page
1	Milner Scored Fireback, 400mm	Y124	11
2	Milner Scored Fireback, 450mm	Y125	11

Firebricks

Sales Rank		Product Cat No	Page
1	Firebrick, 64mm	Y135	11
2	Firebrick, 76mm	Y136	11
3	Firebrick, 52mm	Y134	11
4	Firebrick, 38mm	Y133	11
5	Firebrick, 25mm	Y132	11

Quick Guide – Top Selling Terracotta Items

Fireplace Lintels & Adaptors

Sales Rank		Product Cat No	Page
1	Fireplace Lintel Y0600 for use with 600mm fireplace openings	Y0600	11
2	Flue Adaptor for 225mm round dia. flue liners	Y0225R	11
3	Corbel unit, 800mm	Y0800	11
4	Corbel unit, 1000mm	Y1000	11
5	Flue Adaptor for 250mm round dia. flue liners	Y0250R	11

Flue Liners (Class A1)

Sales Rank		Product Cat No	Page
1	Class A1 Flue Liner, 300mm long, 225mm dia. round	YE11C1	6
2	Class A1 Flue Liner, 300mm long, 185mm dia. round	YD11C1	6
3	Class A1 Flue Liner, 300mm long, 225mm square	YH18C1	6
4	Class A1 Flue Liner, 22.5° bend, 225mm dia. round	YE14C1	6
5	Class A1 Flue Liner, 300mm long, 300mm dia. round	YF16C1	6

Flue System Jointing Compound

Sales Rank		Product Cat No	Page
1	Sealant Cartridge, 300ml (will make approx. 4 x joints)	Y108	7

Gas Terminals

Sales Rank		Product Cat No	Page
1	Stell 150 Gas Terminal, 205mm ext. dia. Colour: Red	YK23R	13
2	Stell 125 Gas Terminal, 160mm ext. dia. Colour: Blue/Black	YK18X	13
3	Stell 150 Gas Terminal, 180mm ext. dia. Colour: Buff	YK22B	13

Ridge Tiles

Sales Rank		Product Cat No	Page
1	Capped Angle Ridge Tile, 450mm long, 105°, Col: Blue/Black	YR54X	14
2	Capped Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR53X	14
3	Capped Angle Ridge Tile, 450mm long, 115°, Col: Blue/Black	YR55X	14
4	Capped Angle Ridge Tile, 450mm long, 105°, Col: Red	YR54R	14
5	Plain Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black	YR17X	14













































Ventilation Terminals

Sales Rank		Product Cat No	Page
1	Fluvent, 190mm high, 180mm spigot dia, Colour: Red	YL12R	10
2	Bonnet Insert, 285mm high, 180mm spigot dia, Colour: Red	YL19R	10
3	Fluvent, 190mm high, 160mm spigot dia, Colour: Red	YL11R	10
4	Fluvent, 190mm high, 180mm spigot dia, Colour: Buff	YL12B	10
5	Mushroom Top, 180mm spigot dia, Colour: Red	YL15R	10

Hepworth

TERRACOTTA










Flue Liners

Description	Nom mm	Cat No	Pack Qty	Price Each £
	Height			
 Class A1 Round Straight Liners				
125mm Internal Diameter 	300	YC10C1	26	18.65
150mm Internal Diameter 	300	YC16C1	39	20.65
185mm Internal Diameter 	180	YD10C1	25	22.83
185mm Internal Diameter 	300	YD11C1	25	21.94
210mm Internal Diameter 	180	YD17C1	40	25.98
210mm Internal Diameter 	300	YD18C1	40	28.62
225mm Internal Diameter 	180	YE10C1	32	30.09
225mm Internal Diameter 	300	YE11C1	32	29.46
250mm Internal Diameter 	180	YF10C1	32	35.15
250mm Internal Diameter 	300	YF11C1	32	54.76
300mm Internal Diameter 	180	YF15C1	18	58.80
300mm Internal Diameter 	300	YF16C1	18	79.37
 Class A1 Round 22¹/₂° Bend				
125mm Internal Diameter 		YC13C1	26	47.20
150mm Internal Diameter 		YC19C1	39	48.90
185mm Internal Diameter 		YD14C1	25	53.27
210mm Internal Diameter 		YD21C1	20	99.58
225mm Internal Diameter 		YE14C1	16	75.31
250mm Internal Diameter 		YF12C1	16	124.83
300mm Internal Diameter 		YF17C1	9	190.45
 Class A1 Round 30° Bend				
125mm Internal Diameter 		YC14C1	26	47.20
150mm Internal Diameter 		YC20C1	39	48.90
185mm Internal Diameter 		YD15C1	25	55.31
210mm Internal Diameter 		YD22C1	20	99.58
225mm Internal Diameter 		YE15C1	16	78.13
250mm Internal Diameter 		YF13C1	16	124.83
300mm Internal Diameter 		YF18C1	9	190.45
 Class A1 Round 37¹/₂° Bend				
185mm Internal Diameter 		YD16C1	25	55.31
225mm Internal Diameter 		YE16C1	16	78.11
300mm Internal Diameter 		YF19C1	9	190.45
	Height			
 Class A1 Square Straight Liners				
185mm x 185mm Internal 	180	YG10C1	25	24.50
185mm x 185mm Internal 	300	YG11C1	25	28.41
225mm x 225mm Internal 	180	YH17C1	32	41.09
225mm x 225mm Internal 	300	YH18C1	32	50.02
300mm x 300mm Internal 	180	YJ15C1	18	79.95
300mm x 300mm Internal 	300	YJ16C1	18	104.48
 Class A1 Square 22¹/₂° Bend				
185mm x 185mm Internal 		YG14C1	25	69.18
225mm x 225mm Internal 		YH21C1	16	127.14
300mm x 300mm Internal 		YJ17C1	9	208.40

Hepworth

TERRACOTTA

Flue Liners





Description	Nom mm	Cat No	Pack Qty	Price Each £
 <p>Class A1 Square 30° Bend 185mm x 185mm Internal  225mm x 225mm Internal  300mm x 300mm Internal </p>		YG15C1	25	71.74
		YH22C1	16	131.84
		YJ18C1	9	320.08
 <p>Class A1 Square 37 1/2° Bend 185mm x 185mm Internal  225mm x 225mm Internal </p>		YG16C1	25	69.18
		YH23C1	18	127.14
 <p>Flue System Jointing Compound Suitable for Clay Flue Liners and Gas Flue Blocks. Will make approx. 4 joints on 225mm diameter flue liners. (300ml cartridge, gun not included)</p>	300ml	Y108	12	19.91
 <p>Chimney Commissioning Pack (As required by the Building Regulations 2010 Approved Document J)</p> <p>Contents –</p> <ul style="list-style-type: none"> • 110mm x 105mm Aluminium Notice Plate • Special Marker Pen • Checklist Certificate and Explanatory Notes • Class A1 'Flue Size Selector' – Guide and Technical Information 		YPLATE1		19.59

Note: Flue Liners should be installed with the socket facing upwards.



Hepworth

TERRACOTTA




Chimney Pots

Description	Size mm	Cat No	Pack Qty	Price Each £
	Height			
 Decorative Fuel Effect Pot For installation details please refer to BS 5871 Part 3 2005.	580	YK10R	12	156.67
	580	YK10B	12	156.67
	580	YK10X	12	188.18
 Barrel Pot For installation details please refer to BS 5871 Part 3 2005.	600	YK12R	-	438.98
 Cannon Head	300	YM11R	48	61.76
	300	YM11B	48	61.76
	300	YM11X	48	66.65
	375	YM12R	32	76.15
	375	YM12B	32	76.15
	375	YM12X	32	82.11
	450	YM13R	32	76.15
	450	YM13B	32	76.15
	450	YM13X	32	80.01
	600	YM14R	16	113.30
	600	YM14B	16	113.30
	600	YM14X	16	122.31
 Roll Top	300	YM17R	48	46.22
	300	YM17B	48	46.22
	300	YM17X	48	49.82
	375	YM18R	32	56.49
	375	YM18B	32	56.49
	375	YM18X	32	59.38
	450	YM19R	32	55.11
	450	YM19B	32	55.11
	450	YM19X	32	59.47
	600	YM20R	16	84.43
	600	YM20B	16	84.43
	600	YM20X	16	88.65
	750	YM21R	16	119.17
	750	YM21B	16	119.17
	750	YM21X	16	128.58
900	YM22R	16	159.68	
900	YM22B	16	159.68	
900	YM22X	16	172.15	

Hepworth**TERRACOTTA****Chimney
Pots**

Description	Size mm	Cat No	Pack Qty	Price Each £
 Octagon Pot	Height			
	600	YQ11B	12	599.60
	750	YQ12B	12	644.19
	900	YQ13B	12	749.25
 Rook	500	YQ35R	16	245.58
	500	YQ35B	16	273.41
	500	YQ35X	16	287.16

Hepworth**TERRACOTTA****Ventilation
Terminals**

Description	Size mm	Cat No	Pack Qty	Price Each £
	Spigot Dia.			
 Fluvent Ventilates redundant flues only.	135	YL10R	48	69.63
	135	YL10B	48	69.63
	135	YL10X	48	87.13
	160	YL11R	48	65.11
	160	YL11B	48	65.11
	160	YL11X	48	81.31
	180	YL12R	48	63.34
	180	YL12B	48	63.34
	180	YL12X	48	68.58
	205	YL13R	36	69.63
	205	YL13B	36	69.63
	205	YL13X	36	75.44
	235	YL14R	36	69.63
	235	YL14B	36	69.63
235	YL14X	36	87.13	
 Mushroom Top Ventilates redundant flues only.	180	YL15R	12	72.24
	180	YL15B	12	72.24
	180	YL15X	12	75.83
 Bonnet Insert Ventilates redundant flues only.	135	YL17R	27	66.02
	135	YL17B	27	73.53
	135	YL17X	27	79.22
	160	YL18R	27	66.02
	160	YL18B	27	73.53
	160	YL18X	27	79.22
	180	YL19R	27	61.93
	180	YL19B	27	64.27
	180	YL19X	27	69.33
	205	YL20R	21	67.79
205	YL20B	21	75.45	
205	YL20X	21	79.22	

Warning: These terminals are not approved for use on operational flues (i.e. gas, oil, solid fuels). If a flue or chimney is brought back into operation and has a ventilation terminal in place, it should either be removed or replaced with a suitable pot or terminal appropriate to its new use and fuel type.










**Recommended
Chimney Pot and
Ventilation Terminal
combinations**

Chimney Pot Top ID	Ventilation Terminal Spigot OD
150mm	135mm
185mm	160mm
210mm	180mm
225mm	205mm
250mm	235mm
300mm	N/A

Hepworth

TERRACOTTA


Fireplace

Description	Size mm	Cat No	Pack Qty	Price Each £
	W x H x D			
 Fireplace Lintel 600 For use with fireplace openings up to 600mm wide. Note: The Fireplace Lintel 600 must be used with the appropriate flue liner adaptor from 185mm to 300mm round or 185mm to 225mm square.	800x 215x560	Y0600		208.09
 800mm Corbel Unit for Fireplace System For use with fireplace openings up to 800mm wide.	1000x 140x560	Y0800		195.84
 1000mm Corbel Unit for Fireplace System For use with fireplace openings up to 1000mm wide.	1200x 140x560	Y1000		244.80
 Flue Adaptor for Fireplace System – Round 185mm Round	580x 100x450	Y0185R		107.23
210mm Round	580x 100x450	Y0210R		107.23
225mm Round	580x 100x450	Y0225R		107.23
250mm Round	580x 100x450	Y0250R		140.84
300mm Round	580x 100x450	Y0300R		140.84
 Flue Adaptor for Fireplace System – Square 185mm Square	580x 100x450	Y0185S		107.23
225mm Square	580x 100x450	Y0225S		124.09
	Width			
 Milner Scored Fireback 400 450	400 450	Y124 Y125		111.62 134.36
 Throat Restrictor 400 450	400 450	Y128 Y129		35.85 45.69
 Otty Hood 400 450	400 450	Y130 Y131		70.16 74.57
	Height			
 Firebricks All items are 230mm wide x 114mm deep	25 38 52 64 76	Y132 Y133 Y134 Y135 Y136	100 100 100 100 100	5.26 5.28 5.49 5.45 5.72



Hepworth

TERRACOTTA

Fireplace

Description	Size mm	Cat No	Pack Qty	Price Each £
 <p>Fireclay Note: Fireclay should not be used for jointing flue liners.</p>	Weight 25 kg	Y137	1	per bag 34.53

Hepworth**TERRACOTTA****Gas
Terminals**

Description	Size mm	Cat No	Pack Qty	Price Each £	
	Height				
 Stell 125 Gas Terminal 160mm Ext. Dia. CE	345	YK18R	25	108.46	
	345	YK18B	25	108.46	
	345	YK18X	25	128.66	
	180mm Ext. Dia. CE	345	YK19R	25	105.58
	345	YK19B	25	105.58	
	345	YK19X	25	117.71	
 Stell 150 Gas Terminal 180mm Ext. Dia. CE	420	YK22R	25	137.54	
	420	YK22B	25	137.54	
	420	YK22X	25	163.12	
	205mm Ext. Dia. CE	420	YK23R	25	158.41
	420	YK23B	25	158.41	

Warning: Stell Gas Terminals are not suitable for use with solid fuel appliances or decorative fuel effect gas fires and inset live fuel effect gas fires, requiring a minimum 175mm diameter flue.




Recommended Chimney Pot and Gas Terminal combinations

Chimney Pot Top ID	Gas Terminal Spigot OD
185mm	160mm
210mm	180mm
225mm	205mm

Hepworth

TERRACOTTA




Ridge Tiles

Description	Angle	Cat No	Pack Qty	Price Each £	
	Degree				
 Plain Angle Length 450mm	75°	YR16R	100	22.61	
		YR16B	100	22.61	
		YR16X	100	23.66	
	Length 450mm	90°	YR17R	100	21.75
			YR17B	100	21.75
			YR17X	100	22.77
	Length 450mm	105°	YR18R	100	21.75
			YR18B	100	21.75
			YR18X	100	22.77
	Length 450mm	115°	YR19R	100	21.75
			YR19B	100	21.75
			YR19X	100	22.77
	Length 450mm	125°	YR20R	100	21.75
			YR20B	100	21.75
			YR20X	100	22.77
	Length 450mm	135°	YR21R	100	22.61
			YR21B	100	22.61
			YR21X	100	23.66
 Capped Angle Length 450mm	75°	YR52R	100	24.37	
		YR52B	100	26.74	
		YR52X	100	25.55	
	Length 450mm	90°	YR53R	100	23.49
			YR53B	100	23.49
			YR53X	100	24.67
	Length 450mm	105°	YR54R	100	23.49
			YR54B	100	23.49
			YR54X	100	24.67
	Length 450mm	115°	YR55R	100	23.49
			YR55B	100	23.49
			YR55X	100	24.67
	Length 450mm	125°	YR56R	100	23.49
			YR56B	100	23.49
			YR56X	100	24.67
	Length 450mm	135°	YR57R	100	24.37
			YR57B	100	24.37
			YR57X	100	25.55
 Roll Top Ridge* Length 450mm	75°	YT16R	50	62.09	
		YT16X	50	65.22	
	Length 450mm	90°	YT17R	50	55.18
			YT17X	50	57.94
	Length 450mm	105°	YT18R	50	55.18
			YT18X	50	57.94
	Length 450mm	115°	YT19R	50	62.09
			YT19X	50	65.22
	Length 450mm	125°	YT20R	50	62.09
			YT20X	50	65.22
	Length 450mm	135°	YT21R	50	62.09
			YT21X	50	58.08

Hepworth




TERRACOTTA

Ridge Tiles

Description	Angle	Cat No	Pack Qty	Price Each £
	Degree			
 Two Hole Crested Ridge* Length 300mm Length 300mm	90°	YU17R	50	70.34
	105°	YU18R	50	70.34
 Club Crested Ridge* Length 300mm Length 300mm	90°	YU23R	50	70.34
	105°	YU24R	50	70.34
 Coxcomb Crested Ridge* Length 300mm Length 300mm	90°	YU29R	50	63.91
	105°	YU30R	50	63.91

* These products are subject to extended lead times.

Hepworth**TERRACOTTA****Airbricks**

Description	Size mm	Cat No	Pack Qty	Price Each £
 Square Hole	W x H			
	215x65	YA13R	100	4.22
		YA13B	100	4.22
		YA13X	100	5.22
	215x140	YA14R	105	6.26
		YA14B	105	6.26
		YA14X	105	7.93
	215x215	YA15R	50	15.75
		YA15B	50	15.75
		YA15X	50	18.01
 Louvered Hole	215x65	YA16R	100	4.89
		YA16B	100	4.89
		YA16X	100	6.25
	215x140	YA17R	105	8.01
		YA17B	105	8.01
		YA17X	105	10.26
 Cavity Liners	W x H x D			
	215x65 x200	YB11	100	7.61
	215x140 x200	YB13	80	8.44
	215x215 x200	YB15	30	21.73

Numerical Index

Cat No	Price Each £	Page No	Cat No	Price Each £	Page No	Cat No	Price Each £	Page No
Y0600	208.09	11	YD18C1	28.62	6	YL12R	63.34	10
Y108	19.91	7	YD21C1	99.58	6	YL12X	68.58	10
Y124	111.62	11	YD22C1	99.58	6	YL13B	69.63	10
Y125	134.36	11	YE10C1	30.09	6	YL13R	69.63	10
Y128	35.85	11	YE11C1	29.46	6	YL13X	75.44	10
Y129	45.69	11	YE14C1	75.31	6	YL14B	69.63	10
Y130	70.16	11	YE15C1	78.13	6	YL14R	69.63	10
Y131	74.57	11	YE16C1	78.11	6	YL14X	87.13	10
Y132	5.26	11	YF10C1	35.15	6	YL15B	72.24	10
Y133	5.28	11	YF11C1	54.76	6	YL15R	72.24	10
Y134	5.49	11	YF12C1	124.83	6	YL15X	75.83	10
Y135	5.45	11	YF13C1	124.83	6	YL17B	73.53	10
Y136	5.72	11	YF15C1	58.80	6	YL17R	66.02	10
Y137	34.53	12	YF16C1	79.37	6	YL17X	79.22	10
Y0185R	107.23	11	YF17C1	190.45	6	YL18B	73.53	10
Y0185S	107.23	11	YF18C1	190.45	6	YL18R	66.02	10
Y0210R	107.23	11	YF19C1	190.45	6	YL18X	79.22	10
Y0225R	107.23	11	YG10C1	24.50	6	YL19B	64.27	10
Y0225S	124.09	11	YG11C1	28.41	6	YL19R	61.93	10
Y0250R	140.84	11	YG14C1	69.18	6	YL19X	69.33	10
Y0300R	140.84	11	YG15C1	71.74	7	YL20B	75.45	10
Y0800	195.84	11	YG16C1	69.18	7	YL20R	67.79	10
Y1000	244.80	11	YH17C1	41.09	6	YL20X	79.22	10
YA13B	4.22	16	YH18C1	50.02	6	YM11B	61.76	8
YA13R	4.22	16	YH21C1	127.14	6	YM11R	61.76	8
YA13X	5.22	16	YH22C1	131.84	7	YM11X	66.65	8
YA14B	6.26	16	YH23C1	127.14	7	YM12B	76.15	8
YA14R	6.26	16	YJ15C1	79.95	6	YM12R	76.15	8
YA14X	7.93	16	YJ16C1	104.48	6	YM12X	82.11	8
YA15B	15.75	16	YJ17C1	208.40	6	YM13B	76.15	8
YA15R	15.75	16	YJ18C1	320.08	7	YM13R	76.15	8
YA15X	18.01	16	YK10B	156.67	8	YM13X	80.01	8
YA16B	4.89	16	YK10R	156.67	8	YM14B	113.30	8
YA16R	4.89	16	YK10X	188.18	8	YM14R	113.30	8
YA16X	6.25	16	YK12R	438.98	8	YM14X	122.31	8
YA17B	8.01	16	YK18B	108.46	13	YM17B	46.22	8
YA17R	8.01	16	YK18R	108.46	13	YM17R	46.22	8
YA17X	10.26	16	YK18X	128.66	13	YM17X	49.82	8
YB11	7.61	16	YK19B	105.58	13	YM18B	56.49	8
YB13	8.44	16	YK19R	105.58	13	YM18R	56.49	8
YB15	21.73	16	YK19X	117.71	13	YM18X	59.38	8
YC13C1	47.20	6	YK22B	137.54	13	YM19B	55.11	8
YC10C1	18.65	6	YK22R	137.54	13	YM19R	55.11	8
YC14C1	47.20	6	YK22X	163.12	13	YM19X	59.47	8
YC16C1	20.65	6	YK23B	158.41	13	YM20B	84.43	8
YC19C1	48.90	6	YK23R	158.41	13	YM20R	84.43	8
YC20C1	48.90	6	YL10B	69.63	10	YM20X	88.65	8
YD10C1	22.83	6	YL10R	69.63	10	YM21B	119.17	8
YD11C1	21.94	6	YL10X	87.13	10	YM21R	119.17	8
YD14C1	53.27	6	YL11B	65.11	10	YM21X	128.58	8
YD15C1	55.31	6	YL11R	65.11	10	YM22B	159.68	8
YD16C1	55.31	6	YL11X	81.31	10	YM22R	159.68	8
YD17C1	25.98	6	YL12B	63.34	10	YM22X	172.15	8

Numerical Index

Cat No	Price Each £	Page No	Cat No	Price Each £	Page No
YPLATE1	19.59	7	YT21R	62.09	14
YQ11B	599.60	9	YT21X	58.08	14
YQ12B	644.19	9	YU17R	70.34	15
YQ13B	749.25	9	YU18R	70.34	15
YQ35B	273.41	9	YU23R	70.34	15
YQ35R	245.58	9	YU24R	70.34	15
YQ35X	287.16	9	YU29R	63.91	15
YR16B	22.61	14	YU30R	63.91	15
YR16R	22.61	14			
YR16X	23.66	14			
YR17B	21.75	14			
YR17R	21.75	14			
YR17X	22.77	14			
YR18B	21.75	14			
YR18R	21.75	14			
YR18X	22.77	14			
YR19B	21.75	14			
YR19R	21.75	14			
YR19X	22.77	14			
YR20B	21.75	14			
YR20R	21.75	14			
YR20X	22.77	14			
YR21B	22.61	14			
YR21R	22.61	14			
YR21X	23.66	14			
YR52B	26.74	14			
YR52R	24.37	14			
YR52X	25.55	14			
YR53B	23.49	14			
YR53R	23.49	14			
YR53X	24.67	14			
YR54B	23.49	14			
YR54R	23.49	14			
YR54X	24.67	14			
YR55B	23.49	14			
YR55R	23.49	14			
YR55X	24.67	14			
YR56B	23.49	14			
YR56R	23.49	14			
YR56X	24.67	14			
YR57B	24.37	14			
YR57R	24.37	14			
YR57X	25.55	14			
YT16R	62.09	14			
YT16X	65.22	14			
YT17R	55.18	14			
YT17X	57.94	14			
YT18R	55.18	14			
YT18X	57.94	14			
YT19R	62.09	14			
YT19X	65.22	14			
YT20R	62.09	14			
YT20X	65.22	14			

Hepworth

TERRACOTTA

Notes

Important Notes

All purchases are subject to our standard terms and conditions of sale, available at www.wavin.co.uk or call for a copy.

Prices are subject to VAT at the current rate.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice.

All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.

Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2004, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2008.

Contact

Orders and enquiries

T: 0844 856 5152

Literature requests

E: literature@wavin.co.uk

Technical advice

T: 0844 856 5165

E: terracotta@hepworth.co.uk

Address

Wavin Limited
Edlington Lane
Edlington
Doncaster
South Yorkshire
DN12 1BY



CE marking has changed...

As of the 1st July 2013, the Construction Products Regulation (CPR) came into force.

It is mandatory for any construction product covered by a harmonised European Norm (hEN) to have a Declaration of Performance (DoP) and an accompanying CE mark.

The product standards and ranges covered by the CPR and identified in this price list are:

BS EN 1457-1:2012

Round and square flue liners

BS EN 13502:2002

Stell Gas terminals



Wavin Limited

Edlington Lane, Edlington, Doncaster,
South Yorkshire DN12 1BY

www.hepworthterracotta.co.uk

